

МАТЕМАТИКА

2-MA'RUZA

DETERMINANTLAR VA ULARNING XOSSALARI

REJA

1. DETERMINANTLAR VA ULARNING XOSSALARI
2. MINOR VA ALGEBRAIK TO'LDIRUVCHI
3. TESHKARI MATRITSA
4. MATRITSA RANGI

2-TARTIBLI DETERMINANTLARNI HISOBLASH

Ta'rif. 2 - tartibli kvadrat matritsaning

$$A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix}$$

determinanti deb, ushbu

$$\begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix} = a_{11}a_{22} - a_{12}a_{21}$$

sonqa aytiladi. Bu verda a_{11} , a_{12} , a_{21} , a_{22} -

1-misol.

2-tartibli determinantni hisoblang.

$$\begin{vmatrix} 2 & -4 \\ 3 & 5 \end{vmatrix} =$$

$$= 2 \cdot 5 - (-4) \cdot 3 = 10 + 12 = 22.$$

$$\det A = \begin{vmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{vmatrix}$$


songa 3-tartibli determinant, $\det A = a_{11}a_{22}a_{33} + a_{12}a_{23}a_{31} + a_{13}a_{21}a_{32} - a_{13}a_{22}a_{31} - a_{11}a_{23}a_{32} - a_{12}a_{21}a_{33}$ unung qiymati deyiladi.

•Uchburchak qoidasi



Yoki

•Sarryus qoidasi



n - tartibli kvadrat matritsaning

$$A = \begin{pmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2n} \\ \cdots & \cdots & \cdots & \cdots \\ a_{n1} & a_{n2} & \cdots & a_{nn} \end{pmatrix}$$

determinanti deb, ushbu

$$\begin{vmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2n} \\ \cdots & \cdots & \cdots & \cdots \\ a_{n1} & a_{n2} & \cdots & a_{nn} \end{vmatrix} \quad (3)$$

ifodaga aytiladi.

MINOR VA ALGEBRAIK TO'LDIRUVCHI

O‘zirlmay qolgan elementlardan ikkiinchi tartibli determinant hosil bo‘ladi. Unga a_{ik} elementning *minori* deyiladi va M_{ik} bilan belgilanadi. Masalan, uchinchi tartibli determinantda a_{23} element turgan yo‘l va ustunni o‘chirish

$$\begin{vmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{vmatrix}$$

natijasida

$$M_{23} = \begin{vmatrix} a_{11} & a_{12} \\ a_{31} & a_{32} \end{vmatrix}$$

determinant hosil bo‘ladi. Bu berilgan determinant a_{23} elementining minoridir.

1-misol. $\begin{vmatrix} 2 & -3 \\ 1 & 4 \end{vmatrix}$ determinantning minorlarini toping.

Ta'rif. (3) determinant a_{ij} elementining *algebraik to'ldiruvchisi* deb,

$$(-1)^{i+j} M_{ij}$$

miqdorga aytiladi va A_{ij} orqali belgilanadi:

$$A_{ij} = (-1)^{i+j} M_{ij}.$$

Kvadrat matritsa determinantining algebraik to'ldiruvchilari soni uning elementlari soniga teng bo'ladi.

Masalan,

$$\begin{vmatrix} 1 & 0 & -2 \\ 3 & 4 & 1 \\ 0 & -3 & 5 \end{vmatrix}$$

determinant elementlariga mos to'qqizta minorlar mavjud. $a_{32} = -3$ elementining algebraik to'ldiruvchisini topamiz:

$$A_{32} = (-1)^{3+2} M_{32} = (-1)^5 \begin{vmatrix} 1 & -2 \\ 3 & 1 \end{vmatrix} = -(1 - (-6)) = -7.$$

DETERMINANTNI HISOBLASHGA DOIR MISOLLAR

2-misol. 3-tartibli determinantni hisoblang.

$$\begin{vmatrix} 1 & -2 & 1 \\ 2 & 3 & -1 \\ 4 & 5 & 2 \end{vmatrix} = 1 \cdot 3 \cdot 2 + (-2) \cdot (-1) \cdot 4 + 1 \cdot 2 \cdot 5 - \\ -1 \cdot 3 \cdot 4 - 1 \cdot (-1) \cdot 5 - (-2) \cdot 2 \cdot 2 = \\ = 6 + 8 + 10 - 12 + 5 + 8 = 25.$$

Teskari matritsa

n - tartibli kvadrat matritsa $A = \begin{pmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2n} \\ \cdots & \cdots & \cdots & \cdots \\ a_{n1} & a_{n2} & \cdots & a_{nn} \end{pmatrix}$

berilgan bo'lsin.

Agar A bilan n -tartibli A^{-1} - kvadrat matritsa ko'paytmasi E - birlik matritsaga teng bo'lsa

$$A \cdot A^{-1} = A^{-1} \cdot A = E$$

u holda A^{-1} matritsa A ga *teskari matritsa* deyiladi.

Teorema. A matritsaga A^{-1} teskari matritsa mavjud bo'lishi uchun uning xosmas matritsa bo'lishi zarur va etarlidir.

Teskari matritsani topish

$$A^{-1} = \frac{1}{\det A} \begin{pmatrix} A_{11} & A_{12} & A_{13} \\ A_{21} & A_{22} & A_{23} \\ A_{31} & A_{32} & A_{33} \end{pmatrix}^T = \frac{1}{\det A} \begin{pmatrix} A_{11} & A_{21} & A_{31} \\ A_{12} & A_{22} & A_{32} \\ A_{13} & A_{23} & A_{33} \end{pmatrix} =$$

$$\begin{pmatrix} \frac{A_{11}}{\det A} & \frac{A_{21}}{\det A} & \frac{A_{31}}{\det A} \\ \frac{A_{12}}{\det A} & \frac{A_{22}}{\det A} & \frac{A_{32}}{\det A} \\ \frac{A_{13}}{\det A} & \frac{A_{23}}{\det A} & \frac{A_{33}}{\det A} \end{pmatrix}.$$

Matritsaning rangi

Biror $m \times n$ - o'lchamli A matritsa

$$A = \begin{pmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2n} \\ \cdots & \cdots & \cdots & \cdots \\ a_{m1} & a_{m2} & \cdots & a_{mn} \end{pmatrix}$$

berilgan bo'lsin. A matritsaning ixtiyoriy k ta yo'lini va k ta ustunini olib, ($k \leq \min(m, n)$) k -tartibli kvadrat matritsa tuzamiz. Bu kvadrat matritsaning determinanti A matritsaning ***k-tartibli minori*** deyiladi.

Ta'rif. A matritsaning noldan farqli bo'lgan eng yuqori (katta) tartibli minoriga uning *rangi* deyiladi va $\text{rank } A$ bilan belgilanadi.

Matritsaning rangi uning yo'llari va ustunlari sonidan katta bo'lmaydi, ya'ni $\text{rang } A \leq \min(m, n)$.

ta'rifdan quyidagilar kelib chiqadi:

- 1) agar $\text{rang } A = k$ bo'lsa, u holda A matritsa minorlari orasida noldan farqli k -tartibli kamida bitta minori mavjud bo'ladi;
- 2) $(k+1)$ va undan yuqori tartibli minorlari (agar ular mavjud bo'lsa) nolga teng.

MATRITSANING RANGINI TOPISH

1-misol. Ushbu $A = \begin{pmatrix} 2 & 1 & 1 \\ 3 & 1 & 1 \\ -4 & 1 & 1 \end{pmatrix}$

matritsaning rangini toping.

Berilgan matritsaning 2-tartibli minorlari bir nechta bo‘lib, ulardan biri $\begin{vmatrix} 3 & 1 \\ -4 & 1 \end{vmatrix} = 7$ bo‘ladi. A matritsaning 3-tartibli minori

$$\begin{vmatrix} 2 & 1 & 1 \\ 3 & 1 & 1 \\ -4 & 1 & 1 \end{vmatrix}$$

determinantlarning xossalariga ko‘ra nolga teng. rang $A=2$.

Foydalanilgan adabiyotlar

1. Claudio Canuto, Anta Tabacco. Mathematical Analysis I, II. Springer-Verlag, Italia, Milan, 2008.
2. PETER V. O'NEIL. ADVANCED ENGINEERING MATHEMATICS. 2010.
3. Crowell and Slesnick's. Calculus with Analytic Geometry. 2008.
4. John Bird. HIGHER ENGINEERING MATHEMATICS. Burlington, USA. 2006.
5. Marcel B. Finan. Fundamentals of Linear Algebra. Austin, Texas. 2001.
6. Fogel M. Calculus. Super rev. USA. 2004.
7. Жураев Т. ва бошқ. Олий математика асослари. “Ўзбекистон”, Тошкент, 1994.
8. Fayziboyev E., Suleymenov Z.I., Xudoyorov B.A. Oliy matematikadan misol va masalalar to'plami. Toshkent, “O'qituvchi”, 2005.

ETIBORLARINGIZ UCHUN RAHMAT!