



WORLD SCIENCE

№ 8(48) Vol.1, August 2019

DOI: https://doi.org/10.31435/rsglobal_ws

Copies may be made only from legally acquired originals.

A single copy of one article per issue may be downloaded for personal use

(non-commercial research or private study). Downloading or printing multiple copies is not permitted. Electronic Storage or Usage Permission of the Publisher is required to store or use electronically any material contained in this work, including any chapter or part of a chapter. Permission of the Publisher is required for all other derivative works, including compilations and translations. Except as outlined above, no part of this work may be reproduced, stored in a retrieval system or transmitted in any form or by any means without prior written permission of the Publisher.

Publisher – RS Global Sp. z O.O.,

Scientific Educational Center Warsaw, Poland

Numer KRS: 0000672864 REGON: 367026200 NIP: 5213776394 Publisher Office's address: Dolna 17, lok. A_02

Warsaw, Poland, 00-773

Website: https://ws-conference.com/ **E-mail:** rsglobal.poland@gmail.com

Tel: +4(857) 898 55 10

The authors are fully responsible for the facts mentioned in the articles. The opinions of the authors may not always coincide with the editorial boards point of view and impose no obligations on it.

CHIEF EDITOR

Laputyn Roman PhD in transport systems, Associate Professor, Department of Transport Systems and Road Safety, National Transport University, Ukraine

EDITORIAL BOARD:

Nobanee Haitham Associate Professor of Finance, Abu Dhabi University, United Arab Emirates

Almazari Ahmad Professor in Financial Management, King Saud University-Kingdom of Saudi Arabia, Saudi Arabia

Lina Anastassova Full Professor in Marketing, Burgas Free University, Bulgaria

Mikiashvili Nino Professor in Econometrics and Macroeconomics, Ivane Javakhishvili Tbilisi State University, Georgia

Alkhawaldeh Abdullah Professor in Financial Philosophy, Hashemite University, Jordan

Mendebaev Toktamys Doctor of Technical Sciences, Professor, LLP "Scientific innovation center "Almas", Kazakhstan

Yakovenko Nataliya Professor, Doctor of Geography, Ivanovo State University, Shuya

Mazbayev Ordenbek Doctor of Geographical Sciences, Professor of Tourism, Eurasian National, University named after L.N.Gumilev, Kazakhstan

Sentyabrev Nikolay Professor, Doctor of Sciences, Volgograd State Academy of Physical Education, Russia

Ustenova Gulbaram Director of Education Department of the Pharmacy, Doctor of Pharmaceutical Science, Kazakh National Medical University name of Asfendiyarov, Kazakhstan

Harlamova Julia Professor, Moscow State University of Railway Transport, Russia

Kalinina Irina Professor of Chair of Medicobiological Bases of Physical Culture and Sport, Dr. Sci.Biol., FGBOU VPO Sibirsky State University of Physical Culture and Sport, Russia

Imangazinov Sagit Director, Ph. D, Pavlodar affiliated branch "SMU of Semei city", Kazakhstan

Dukhanina Irina Professor of Finance and Investment Chair, Doctor of Sciences, Moscow State Medical Dental University by A. I. Evdokimov of the Ministry of health of the Russian Federation, Russian Federation

Orehowskyi Wadym Head of the Department of Social and Human Sciences, Economics and Law, Doctor of Historical Sciences, Chernivtsi Trade-Economic Institute Kyiv National Trade and Economic University, Ukraine

Peshcherov Georgy Professor, Moscow State Regional University, Russia

Mustafin Muafik Professor, Doctor of Veterinary Science, Kostanay State University named after A. Baitursynov

Ovsyanik Olga Professor, Doctor of Psychological Science, Moscow State Regional University, Russian Federation

Suprun Elina Professor, Doctor of Medicine, National University of Pharmacy, Ukraine

Kuzmenkov Sergey Professor at the Department of Physics and Didactics of Physics, Candidate of Physico-mathematical Sciences, Doctor of Pedagogic Sciences, Kherson State University

Safarov Mahmadali Doctor Technical Science, Professor Academician Academia Science Republic of Tajikistan, National Studies University "Moscow Power Institute" in Dushanbe

Omarova Vera Professor, Ph.D., Pavlodar State Pedagogical Institute, Kazakhstan

Koziar Mykola Head of the Department, Doctor of Pedagogical Sciences, National University of Water Management and Nature Resources Use, Ukraine

Tatarintseva Nina Professor, Southern Federal University,

Sidorovich Marina Candidate of Biological Sciences, Doctor of Pedagogical Sciences, Full Professor, Kherson State University

Polyakova Victoria Candidate of Pedagogical Sciences, Vladimir Regional Institute for Educational Development Name L. I. Novikova, Russia

Issakova Sabira Professor, Doctor of Philology, The Aktyubinsk regional state university of K. Zhubanov, Kazakhstan

Kolesnikova Galina Professor, Taganrog Institute of Management and Economics, Russia

Utebaliyeva Gulnara Doctor of Philological Science, Al-Farabi Kazakh National University, Kazakhstan

Uzilevsky Gennady Dr. of Science, Ph.D., Russian Academy of National Economy under the President of the Russian Federation, Russian Federation

Krokhmal Nataliia Professor, Ph.D. in Philosophy, National Pedagogical Dragomanov University, Ukraine

Chornyi Oleksii D.Sc. (Eng.), Professor, Kremenchuk Mykhailo Ostrohradskyi National University

Pilipenko Oleg Head of Machine Design Fundamentals Department, Doctor of Technical Sciences, Chernigiv National Technological University, Ukraine

Nyyazbekova Kulanda Candidate of pedagogical sciences, Kazakhstan

Cheshmedzhieva Margarita Doctor of Law, South-West University "Neofit Rilski", Bulgaria

Svetlana Peneva MD, dental prosthetics, Medical University - Varna, Bulgaria

Rossikhin Vasiliy Full dr., Doctor of Legal Sciences, National Law University named after Yaroslav the Wise, Ukraine

Pikhtirova Alina PhD in Veterinary science, Sumy national agrarian university, Ukraine

Temirbekova Sulukhan Dr. Sc. of Biology, Professor, Federal State Scientific Institution All-Russia Selection-Technological Institute of Horticulture and Nursery, Russian Federation

Tsymbaliuk Vitalii Professor, Doctor of Medicine, The State Institution Romodanov Neurosurgery Institute National Academy of Medical Sciences of Ukraine

CONTENTS

ENGINEERING SCIENCES

Malika Ikramova, Khairullo Kabilov, Alisher Khodjiev, Ifoda Akhmedkhodjaeva, Dilshod Nazaraliev IMPROVEMENT OF WATER ALLOCATION EFFICIENCY IN THE AMU-SURKHAN RIVERS BASIN	4
CHEMISTRY	
Natela Khetsuriani, Esma Usharauli, Irina Mchedlishvili, Madlena Chkhaidze, Tamar Shatakishvili INVESTIGATION OF PETROLEUM FORM NEW WELLS OF EASTERN GEORGIA	8
PHARMACY	
Hala L. O. THE RESULTS OF CLUSTER ANALYSIS OF UKRAINIAN REGIONS PROVISION BY PHARMACIES	15
PUBLIC ADMINISTRATION	
Iryna Krylova CONSOLIDATION OF ENTERPRISES OF WATER SUPPLY AND WASTEWATER OF UKRAINE WITHIN THE RIVER BASINS: OPPORTUNITIES AND PROSPECTS	24
LEGAL AND POLITICAL SCIENCE	
Барна О. С. ІДЕОЛОГІЯ ЯК НАУКОВА КАТЕГОРІЯ ТА ЧИННИК ФОРМУВАННЯ ГУМАНІТАРНОГО ПРОСТОРУ УКРАЇНИ	32
Фируза Хамдамова КЛАССИФИКАЦИЯ И ТЕНДЕНЦИИ РАЗВИТИЯ МЕЖДУНАРОДНЫХ ДОКУМЕНТОВ В СФЕРЕ ОБЕСПЕЧЕНИЯ И ЗАЩИТЫ ПРАВ ЖЕНЩИН	38

ENGINEERING SCIENCES

IMPROVEMENT OF WATER ALLOCATION EFFICIENCY IN THE AMU-SURKHAN RIVERS BASIN

Doctor of Science, assistant Professor, Malika Ikramova¹,

Khairullo Kabilov³,

Lecturer, Alisher Khodjiev²,

Professor, PhD, **Ifoda Akhmedkhodjaeva**², Assistant Professor, PhD, **Dilshod Nazaraliev**²

DOI: https://doi.org/10.31435/rsglobal_ws/31082019/6623

ARTICLE INFO

Received: 11 June 2019 **Accepted:** 19 August 2019 **Published:** 31 August 2019

KEYWORDS

irrigation system, water reservoir, GIS modelling.

ABSTRACT

In the article efficiency of water distribution in the territory of Amu-Surkon basin is analysed and based on the results, provided the recommendations. The study is conducted within the project QH-A-QH-2018-409 "Increase efficiency of water resources management in Surkhandarya region: improve interbasin re-distribution of the water resources of Surkhandarya and Sherabaddarya Rivers" funded by Uzbekistan government. The main problems of water management in the Surkhandarya region are: outdated irrigation systems requiring an urgent modernization; large dependence on pump irrigation; low energy efficiency of pumping stations due to use of the old high energy-consuming equipment; irrational distribution and large unproductive technical and operational water losses. Increase of sensitivity to climate change with forecasting of 50% water deficit by 2050 leads to drought and further desertification, including impact on food security. In the article some results are introduced related to improve water allocation by redistribution of water resources between the river basins in the region aimed to reduce of pumped water use for irrigation.

Citation: Malika Ikramova, Khairullo Kabilov, Alisher Khodjiev, Ifoda Akhmedkhodjaeva, Dilshod Nazaraliev. (2019) Improvement of Water Allocation Efficiency in the Amu-Surkhan Rivers Basin. *World Science*. 8(48), Vol.1. doi: 10.31435/rsglobal ws/31082019/6623

Copyright: © 2019 Malika Ikramova, Khairullo Kabilov, Alisher Khodjiev, Ifoda Akhmedkhodjaeva, Dilshod Nazaraliev. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Introduction. The main issue in use of the land and water resources in Uzbekistan is lack of surface water resources. The imbalance between the limited water resources in Surkhandarya region and its irrational distribution hinders the growth of food production in the context of increase in population, which will lead to social problems in near future [2].

Surkhandarya region is located in the south of the Republic of Uzbekistan in Surkhan-Sherobad valley, bordered on the east by Tajikistan, south by the Amudarya River and north-west by Kashkadarya region (ex. Karshi deserts). The Amu-Surkhan Basin includes: Amu-Zang, Surkhan-Sherabad, Tupalang - Karatag irrigation systems and set of pump stations which provide water to agricultural fields in the region. Surkhandarya is a main river in the region formed from the confluence of the Tupalang and Karatag rivers. The total length of the river is 175 kilometers, the basin area is 13,500 square kilometers. There are also such small rivers as Sherabaddarya, Dashnabad, Obizarang, Sangardak, Khojaipak and etc. In the region

¹ Uzbekistan, Tashkent, Research Institute for Irrigation and Water Problems,

²Uzbekistan, Tashkent, Tashkent Institute of Irrigation and Agricultural Mechanization Engineers,

³Uzbekistan, Tashkent, Civil Protection Institute

operates a system of reservoirs as South-Surkhan, Aktepe, Uchkizil, Degrez. Numerous canals including Sherabad, Amu-Zang, Djarkurgan, Zang, Khazarbag-Akkapchgay, Kumkurgan and etc., and over 815 state and private pump stations operate in the region (Fig.1).

Construction of large reservoirs and dense branching of the irrigation network with hydraulic structures dramatically changed water balance in the region, with positive consequences in some parts and negative ones in others. Water supply sharply decreased in southern zone due to significant runoff to irrigating the lands in northern zone, and to compensate water shortage in southern areas, there is need to lift large volume of water from Amudarya River.




Fig.1 The study area and water infrastructure location

Unsatisfactory water supply is based on the followings: the irrigation infrastructure built in 1960-1980 is outdated, there is a great dependence on pump irrigation, which covers 65% of the total area and consumes 70% of annual budget for operation and maintenance, irrational distribution and large unproductive water losses in the system and irrigating lands [4, 9]. Study of operating experience of the irrigation infrastructures has shown that there are options to improve the situation by redistributing of water resources among Surkhandarya and Sherabaddarya river basins, at the same time reducing of irrigation by water pumping. Drawing up a new scheme of the river flow distribution between the basins can be achieved by GIS modelling of the irrigation systems network. Water allocation calculating and planning, water availability assessing and its effectiveness for short and long term is an urgent and practically significant issue for the region at present.

Methodology and results. Generally accepted mathematical methods and GIS modelling were used in the research [8]. The research has been conducted, including the study of the water facilities state in river basins, their operation modes, water demand and availability, water distribution scheme and its efficiency, including water lifting and energy consumption. A water balance scheme of the Amu-Surkhan basin infrastructure is developed based on MS EXCEL, and calculated considering irrigated territories and water needs of sectors of economy. GIS modeling is conducted with a database of water management facilities of the basin: watercourses, water management facilities (canals, hydraulic structures, reservoirs, pumping stations, hydro posts, etc.) based on ARCGIS, including 3-D

Format [1,7]. Developed an inter-basin redistribution scheme with transfer of Tupalang and Surkhandarya rivers runoff to the Sherabaddarya river basin, and assessed social, environmental and economic efficiency.

Water resources formation and water consumption data analyses show that about 57% of the region's water demand is satisfied (Table 1). The table shows, that 4,157 km³ of water is formed in the region, but their useful use is 2,195 km³. The rest part of water is lost in the irrigation network and in the fields. In addition, due to lake of reservoir capacities the excess water of the rivers outflows to Amudarya River.

Sectors of economy and water demand, Mio m ³		Water sources and resources formation, Mio m ³		Irrigation capacity of the water bodies, Mio m ³	
Agriculture Communal service	3660	Surkhandarya River basin Springs and says	3590 219	1900 113,88	
Industry Others	18	Varsob River Sherabad River	130 218	67,6 113,36	
		Return water Tupalang Reservoir South-Surkhan Reservoir			230 80
					610
		Degrez Reservoir Uchkizil Reservoir			10 80
Total	3722		4157	2194,84	930
Total irrigation cap	3124,84				
%				57	84

Table 1. Analyses of water availability in the region

At the same time, in order to compensate of water demand for Dzharkurgan, Kumkurgan, Muzrabat and Termez districts, water withdraw is conducted from Amudarya River by pumping to Amu-Zang, Kattakum and Jayhun canals (Fig.1.). Long period monthly water outflow and pumping volumes introduced in Fig. 2.




Fig.2. Long term (2004-2019) average monthly discharge data of outflowed to and pumped water from the Amudarya River

The pumping capacity of the region is 330 m³/s and accordingly, annual volume of pumped water equal to 2097 Mio m³. Energy consumption is over 930 Mio kilowatt-hour which amounts over \$20 Mio US a year.

Study of the irrigation structures operation in the region and water resources management show that there is potential for reduction of water pumping volume, including from Amudarya River, by rational regulation of water resources and redistribution of water among Surkhandarya and Sherabaddarya basins.

Model development. By the GIS facilities vector map of the rivers and interbasin spaces of Surkhandarya region is developed. The operating basin geo-systems characterize a nature-resource potential of the area. The model reflects watersheds, water distributing net (rivers, canals, reservoirs) and drainage system, water pumping points. As standard device the hydrology module is used containing *SpatialAnalyst*, as specialized - *ArcHydro* module, which produces such output products as: hydro graphic map with data and description, river basins and watershed devices, 3D introduction of specified water bodies. Using the data produced by ArcHydro facilities and statistic info the forecasting of flooding and high water can be improved. The water bodies are identified by passport data containing a name, technical specification, operating start date and etc. The pumping stations' data contains pump equipment quantity,

motor type, capacity, volume of lifted water, operation start year and etc. To develop the maps the shp format of vector layers and their converting methods are used. As source for vectoring several Surkhandarya maps were integrated to uniform water consumption of the region. For vectoring of line structures EasyTrace and to digitalize the point objects R2V for Windows is used, which matches with many raster objects. To improve the plan map 3D map has been developed with relief characteristics, slope and elevation of the place by using of GoogleEarth package [3,5,6]. The map shows the characteristics at inter active regime and allow monitoring all parameters operatively. The developed device supports the officials to take a right decision at water shortage or flooding periods assess the situation related to hard-to-rich areas along the river banks and reservoirs.




Fig.3. GIS files and South-Surkhan 3D model.

The developed tool allow to find out the places for increase a water reserving capacity of the region: at Sherabaddarya basin - 100 Mio m³, Aksusay - 90 Mio m³, Obizarang - 14 Mio m³ and options to transfer of water dischage by interconnection of the canals (Chilmirob, Akkapchigay and etc.).

Conclusions.

- 1. Proposed to improve the irrigation systems net leading to reduction of water losses and increase the efficiency of water resources use in the region.
- 2. Developed soft for calculating the water balance within the Amu-Surkhan Irrigation Basin considering the all irrigated lands, and GIS modelling method of the water structures will improve operative decision making by water management companies in water redistribution among Surkhandarya and Sherabaddarya basins.
- 3. At rational management of water resources instead of pumping 1320,53 Mio m³ water from Amudarya River, it would be enough to pump only 585,16 Mio m³ water, and at the same time \$53,5 Mio US would be saved per year due to energy saving.

REFERENCES

- 1. Alyabyev A.A., Sosnovsky A.V. Digital three-dimensional terrain modeling based on the results of satellite stereoscopic shooting. –Geodesy and cartography. № 8. 2008. pp.23-27.
- 2. Denisov Yu.M., Sergeev A.I. Poberezhsky L.N. // Method for assessing the water availability of irrigated area. Tr. SANIGMI, vol. 149. T, 1996, p. 68-78.
- 3. IDRISI, Manual for users. Clark Labs at Clark University, 2008. Pp.180
- 4. Ikramova MR, Akhmedkhodzhaeva IA, Khodzhiev AK, Kabilov Kh. // The irrigation systems of the Amu-Surkhan basin and their efficiency. Journal "Irrigation and Land Reclamation", 2019, No. 3.
- 5. Lazerko MM Joint processing of aerospace and ground surveys to create 3D models of urban areas. Abstract of dissertation. Novosibirsk, 2010.
- 6. MapInfo. Technical and Programming Manual. Pitney Bowes Software Inc., 2010. Pp. 280
- 7. Pavlenko A.V. Development of methods for creating photogrammetric 3D-terrain models from aerospace images. Thesis for the degree of Cand.Tech.Sci. Novosibirsk, 2006.
- 8. Samardak A.S. Geographic information systems: a training manual. M.: Publishing House of Moscow State University, 2005.123 p.
- 9. Usmanov Sh.I. The use of land and water resources of the Surkhandarya region and the methodology for assessing its effectiveness. Abstract of dissertation for the degree of candidate of geographical sciences. Specialty "Economic, social and political geography." St. Petersburg State University.

WORLD SCIENCE

DOI: https://doi.org/10.31435/rsglobal_ws

№ 8(48) Vol.1, August 2019

MULTIDISCIPLINARY SCIENTIFIC EDITION

Indexed by:















Passed for printing 26.08.2019. Appearance 31.08.2019. Typeface Times New Roman.
Circulation 300 copies.
RS Global Sp. z O.O., Warsaw, Poland, 2019

Numer KRS: 0000672864 REGON: 367026200 NIP: 5213776394 https://ws-conference.com/