

MONITORING OF GREEN AREAS IN MIRZACHUL DISTRICT AND ITS GEOECOLOGICAL ASPECTS

Oykhumor Shermamatovna Ruzikulova, Candidate of Geography, Associate Professor, National Research University "TIAME"

Associate Professor of the "Geodesy and Geoinformatics" Department

Komilova Nilufar Karshiboyevna, doctor of geography, professor, Department of Economic and Social Geography of the National University of Uzbekistan, +998977185566, nkomilova75@mail.ru

Abstract

The article is devoted to the relationship between public health and the natural environment in densely populated cities. In the republic, the "Green Space" project is entering all areas. In particular, it is of urgent importance in the mapping of health care and related industries, as well as in geocological monitoring. The article is dedicated to the monitoring of the condition of green areas in Gulistan city with the help of remote sensing materials, as well as the analysis and mapping of related geocological conditions. Medical-geographic mapping is carried out under the influence of natural and social and technical factors.

The fact that Syrdarya region and the city of Gulistan are becoming the "hub of innovative medicine" of our country in Central Asia increases the practical importance of this work.

Key words: greenness index, medical geographic mapping, monitoring, statistical analysis, remote sensing, geocology, permissible norm.

Introduction

While all reforms serve human interests, none of them will taste good if we don't have health. Happiness is not even good food.

You know that President Sh. Mirziyoyev visited Sirdarya region on April 13, 2023. During this visit, the president emphasized the following words: "Syr Darya region will be transformed into a large logistics hub connecting our country with

Kazakhstan, Tajikistan, China and Afghanistan, Gulistan city will be transformed into an "innovative medicine hub" of our country. It is worth noting that research on this topic is of great practical importance in such large-scale projects.

Human health is determined by several factors. Among them, it depends on geoecology, proper nutrition, playing sports, working in the field you love and know well, being in the circle of family and close people, and many other causal factors.

The field of technology directly deals with the issue of image-model representation, i.e., mapping, of the parameters determining human health. A medical-geographical map is a pictorial-model form of natural-territorial complexes showing the location, state and relations of various natural and socio-economic factors and events in the "Human health and environment" system and their condition over time and in a certain place. The purpose of medical-geographical maps is to monitor and describe the quality of the environment, which is manifested in the negative impact on public health; existence of (natural, social and industrial) conditions for human diseases; consists of describing natural healing resources and the possibilities of their rational use.

Human health is one of the urgent issues for every period of society's development. Consequently, the degree of development of any country is determined by the level of health and literacy of the population of this country [4].

In the republic, extensive work is being carried out on the implementation of complex measures in the field of geodesy and cartography, including the use of modern interactive methods in the creation of thematic maps. In particular, it is important to reveal the monitoring of green areas and its geoecological aspects with the help of GAT (geographical information systems) programs.

Trees. They absorb harmful carbon dioxide from the air and produce oxygen instead and help people breathe. They provide coolness in the heat, protect the environment from noise. According to data, there are currently around 3 trillion trees in the world. However, every minute a part of them equal to 27 football fields is cut. Planting and maintaining trees in residential areas is a continuous process. It

is worth remembering that during the campaign "One million trees" held in 2019-2020, a total of 3,800,000 fruit and ornamental tree seedlings were planted in all regions of Uzbekistan [1, 10]. But it is a pity that the sprouting of ornamental trees, which has been carried out at the cost of a large amount of money, has also been controlled. The fact that green areas are shrinking in the city of Gulistan is confirmed by satellite images. This situation will undoubtedly cause the increase of various diseases.

In the atlas of nature protection based on ecological indicators (2008), a map of diseases among the general population of Uzbekistan (per thousand people, by the number of people registered in hospitals) is presented. As a result of the analysis of the map, the number of sick people in Syrdarya and Jizzakh regions is 214-275 people per 1,000 inhabitants, and although it is relatively satisfactory, it is high in some types of diseases, including microbiological indicators, sanitary chemical composition [8].

From the scientific works carried out in the CIS (Commonwealth of Independent States), in "Medical-demographic atlas of Moscow region" (2007) published under the editorship of S. Malkhazova: General medical-demographic situation of Moscow region: Population and social conditions; Environmental conditions; Includes issues of public health and health care. In addition, the disease of the elderly population; Children's diseases, including issues of population health assessment [9].

From the work carried out in Uzbekistan in recent years, it is possible to show "Noise cards". According to Sh. Tokhtamyshev, the question of studying, analyzing and carrying out cartographic studies of the increase of noise migration in big cities and its effects on the dynamics of growth is one of the factors that determine the health of the population. During the creation of maps describing noise in the world, the development and improvement of geoinformation methods, a database related to noise was created, and research was conducted on the modeling of noise spatial distribution processes. A method of describing the spatial distribution of noise using special conditional symbols has been developed [7].

Population morbidity is related to geocological conditions and was also considered in the work of Sh. Dusanova. According to the World Health Organization, 25% of the world's diseases and 23% of deaths are caused by the deterioration of the environment. 40,000 of the chemicals used by mankind are harmful to humans. In 2021, 7,790 tons and 5,850 tons of various gases and dusts were released in 2021. If current water-inefficient agricultural practices continue or are negligibly modified, climate change will inevitably lead to significant water shortages and, as a result, various disasters. At the same time, the importance of trees and greenery in ensuring the cleanliness of the city air is incomparable [3].

According to Khalilova (2022), death rates related to dangerous tumors, blood and blood-forming organs are somewhat high in connection with the activities of some industries in Jizzakh region. In 1991, the number of deaths related to malignant tumors was 53.0 per 100,000 inhabitants in our republic, while this figure was 63.7 in the region. In recent years, although the indicators have slightly decreased in the region, the number of such deaths (34.3) is still close to the national level. Also, the expansion of the Aydarkol region has a negative impact on the country's ecological situation. As a result of this, the general morbidity rates of the population in the northern districts of the region and neighboring border regions have increased somewhat. If appropriate measures are not taken in this area in the future, the situation may lead to worse consequences. In the region, a unique nosogeographic area includes its foothills, in particular, Gallaorol and Bakhmal districts. At the same time, along with Bulungur district of the neighboring Samarkand region, Bakhmal district is considered a nosogeographic (in particular, infectious disease) hotbed [9].

Methods. Monitoring of green areas in ArcGIS software based on remote sensing data (NDVI - remote assessment of plant vegetation) analysis and public health relevance was considered. Medical geographic mapping in Uzbekistan is one of the new and rapidly developing fields in the world, and a number of maps related to the field have been compiled in Medical Geographical Atlases, Ecology and Geoecology Atlases, and the National Atlas of Uzbekistan (2020).

It can be seen that the content of the conducted scientific research has been improved year by year based on demand and supply.

The object of research is water bodies (hydrographic systems) and rivers - indicators that show the geocological conditions in this area. Lack of clean water is the main cause of many diseases, 80% of the world's diseases are related to water. 25,000 people, mostly children, die every day in the world due to consumption of poor-quality water. The need for irrigation and drinking water in the Syrdarya region is mainly fulfilled by the Syrdarya river and the North and South Mirzachol canals flowing from it. Based on the data of the Hydrometeorological Service of the water of the Syrdarya River, the chemical composition of the water flowing from the water measuring stations in 2000, 2010 and 2019 was analyzed.

Result. According to the results of the analysis, according to the chemical analysis of the waters of the South Mirzachol canal flowing from the city of Yangier in 2000, the amount of Ca was 106 to 140 mg/l, which was less than the fixed rate (permissible norm) (180 mg/l for FIXED RATE - Ca element).

Aslanov I. et al., in their scientific works (2020), the importance of green areas in the large urban ecosystem in Tashkent city is mentioned. Currently, population growth and human activity are increasing the demand for cities. Urban area change research using GAT is important in determining the current state and conservation of the natural environment and environmental issues.

GATs using remote sensing data are one of the most widely used tools for urban land use classification. These are not only fast and automatic tools, but also allow for simultaneous statistical analysis. To analyze land area change, based on the analysis of Landsat space satellite data, the normalized vegetation index (NDVI) algorithms are used to separate green and vacant land and residential and infrastructure areas in the study area [3]. Automatic mapping tools are used based on the arithmetic calculation of the use of Landsat space images. Land monitoring mapping is done using remotely sensed images (Figures 1 and 2 and Tables 1 and 2).






Figure 1. NDVI analysis



Situation between April 15-20, 2008 (A)



Situation between April 15-20, 1997 (B)




Figure 2. Reduction of green space in Gulistan city (between 1997-2022). (A, B, V)

An analysis of Landsat-8 satellite images shows that over the years, the green space in Gulistan has been shrinking. This condition significantly affects the health of the population (Figure 2 and Tables 1-2).

The health of the population and the vegetation of crops also depend on the chemical composition of the water entering the area. According to the chemical analysis of the water in 2010, it was within the normal range from 98.2 mg/l to 108 mg/l. In 2019, we can see that this element has increased from 104.2 to 136.3 mg/l compared to previous years (Uzgidromet fund data).

In 2000, Mg element 52.42; 64.59; 70.67; It was 65.81 and 80.43 mg/l. 48.77 in 2010; 60.93; 52.42; 43.90; It was 44.77 mg/l.

Table 1: NDVI indicators for Syrdarya region

№	Classes	Values	Number of pixels			Estimated land area (in hectares)		
			1997	2008	2022	1997	2008	1997
1	Water, snow and ice, clouds	-1-0	1310909	1089865	60848	117981,8	98087,85	5476,32
2	Open soil (unhealthy plant)	0-0,33	2998536	3409748	4540952	269868,3	306877,3	408685,7
3	Moderately	0,33-0,66	1115725	935773	835226	100415,3	84219,57	75170,34

	healthy plants (sparsely located)							
4	Healthy plants (densely located)	0,66-1	11856	1640	0	1067,04	147,6	0

Table 2: NDVI indicators for the city of Gulistan

In 2019, 55.94; 58.39; 60.83; It was 87.54 mg/l. It is almost 2 times more than fixed rate (fixed rate - Mg element is 40 mg/l for 1-2). According to data obtained from water monitoring points on SO4 element, 2000: 451; 499; 518; 621; It was 665 mg/l. In 2010, was 498, 428, 513, 399 and 335 mg/l.

By 2019, it is 426, 436, 535 and 692 mg/l, and it is 100 mg/l according to fixed rate, which is 4, 5, 6 times more than the norm. According to the research, the changes in the chemical composition of the water of the hydrographic objects that supply water to the Syrdarya region: the Syrdarya and Chirchik rivers, the North and South Mirzachol canals, also lead to an increase in the number of diseases in the

№	Classes	Values	Number of pixels			Estimated land area (in hectares)		
			1997	2008	2022	1997	2008	2022
1	Water, snow and ice, clouds	-1-0	2630	2288	3	236,7	205,92	0,27
2	Open soil (unhealthy plant)	0-0,33	24351	25058	28902	2191,59	2255,22	2601,18
3	Moderately healthy plants (sparsely located)	0,33-0,66	1990	1637	78	179,1	147,33	7,02
4	Healthy plants (densely located)	0,66-1	12	0	0	1,08	0	0

population living in this area. In particular, it can be seen that the types of kidney diseases and gastrointestinal diseases have increased.

Recommendations: As recommendations from scientific studies, it is important to carry out continuous monitoring of green spaces based on their importance for public health. We think it is important to monitor the germination of seedlings, which are brought to the expense of many funds within the framework of the "Green Space" program. It is convenient and effective to observe in programs through satellite images. The NDVI analysis of the images is clear and crisp.

In conclusion, it can be said that the reduction of green areas in Syrdarya region and Gulistan city was determined on the basis of satellite images.

In the article, the impact on the health of the population in connection with the chemical composition of the water entering the Syrdarya region and the city of Gulistan was considered. It was determined that comprehensive studies should be conducted on a large scale.

The above situations are important in the monitoring of green areas in Syrdarya region and Gulistan (large cities) and in the analysis of its geoecological aspects. In this case, monitoring using satellite images is effective. Changes are clearly reflected in the pictures. An effective approach to geoecological research is most important in identifying green areas and developing recommendations.

References:

1. Decree of the President of the Republic of Uzbekistan, dated 30.12.2021 No. PF-46
2. Aslanov I.M., Mukhtorov O'.B., Maksudov R., Makhmudova U., Alimova S., Juraeva L., Ibragimov O., (2021). Applying remote sensing techniques to monitor green areas in Tashkent Uzbekistan. In E3S Web of Conferences (Vol. 258, p. 04012). EDP Sciences.
3. Dusanova Sh., Kochkarova G. Effects of climate change on the environment and human health. //Proceedings of the international scientific and practical conference dedicated to the 30th anniversary of the "Olima" association of women and girls of Uzbekistan on the topic "The role of women and girls in achieving the goals of

sustainable development". November 23, 2022. Tashkent: National University of Uzbekistan named after Mirzo Ulugbek, 2022. - pp. 93-94.

4. Komilova N.Q. Theoretical and practical issues of medical geography. Monograph, Tashkent, 2016.

5. Malkhazova S.M. Medico-demographic atlas of Moskovskaya oblasti. - Moscow, 2007, 112 pages.

6. Rozikulova O.Sh., Khamadullaeva A. The effect of the natural conditions of the regions on the average life expectancy of the population of Uzbekistan. "TIQXMMI"-MTU, Tashkent, 2022. Collection of talented students and masters. -Pages 1464-1467.

7. Tokhtamyshev Sh.Sh. "Improving methods of creating maps of noise distribution in cities and data geomodeling". Doctor of Philosophy (PhD) Dissertation in Technical Sciences, Tashkent, 2022. (11.00.06 – Geodesy. Cartography), ... p.

8. Atlas of nature protection based on ecological indicators, Tashkent, 2008, 66 pages.

9. Khalilova H.T. Epidemiological situation of Jizzakh region-geographic foci of infectious diseases. //Proceedings of the international scientific and practical conference dedicated to the 30th anniversary of the "Olima" association of women and girls of Uzbekistan - The role of women and girls in achieving the goals of sustainable development. November 23, 2022. Tashkent: National University of Uzbekistan named after Mirzo Ulugbek, 2022. - pp. 194-195.

10. <https://xs.uz/uzkr/post/prezident-shavkat-mirziyoev-yashil-makon-umummillij-lojihatini-elon-qildi>